

LOC I-BLF	APP CRS	Rwy Idg	4743
109.5	229°	TDZE	2857
		Apt Elev	2857


ILS or LOC RWY 23

MERCER COUNTY (BLF)

⚠ Autopilot coupled approach NA below 3600 MSL. When local altimeter setting not received, use Beckley altimeter setting and increase DA to 3600 feet and visibility to 2½ SM; increase all MDAs 460 feet and S-LOC 23 Cat A visibility to 1¼ SM, Cat B to 1½ SM and Cats C and D to 3 SM; increase Circling visibility Cat A to 1¼ SM, Circling Cat B to 1½ SM, Circling Cat C to 3 SM. Circling NA southeast of Rwy 5-23.

MISSED APPROACH: Climb to 3800 then climbing right turn to 6000 on heading 020° and BLF VOR/DME R-340 to KEGLY INT/BLF 11 DME and hold.

ASOS 132.725	INDIANAPOLIS CENTER 126.575 257.85	CTAF 122.9
-----------------	---------------------------------------	---------------



4743 X 100

2913

HIRL Rwy 5-23
REIL Rwys 5 and 23

FAF to MAP 5 NM					
Knots	60	90	120	150	180
Min:Sec	5:00	3:20	2:30	2:00	1:40

3800 6000 BLF KEGLY R-340 △

hdg 020°

VGSi and ILS glidepath not coincident (VGSi Angle 3.00/TCH 65).

BLUEF OM BLF 4.5

4524

229°

5600

4600

GS 3.00° TCH 58

5 NM 6.5 NM

CATEGORY	A	B	C	D
S-ILS 23	3157-1 300 (300-1)			3157-7/8 300 (300-7/8)
S-LOC 23	3520-1 663 (700-1)		3520-1 3/4 663 (700-1 3/4)	3520-2 663 (700-2)
CIRCLING	3520-1 663 (700-1)		3640-2 1/4 783 (800-2 1/4)	3780-3 923 (1000-3)



APP CRS	Rwy Idg	4743
064°	TDZE	2850
	Apt Elev	2857

RNAV (GPS) RWY 5

MERCER COUNTY (BLF')

RNP APCH.	MISSED APPROACH: Climbing left turn to 6000 direct KENYA and hold.
Procedure NA at night. Rwy 5 helicopter visibility reduction below 1 SM NA.	

ASOS 132.725	INDIANAPOLIS CENTER 126.575 257.85	CTAF 122.9
-----------------	---------------------------------------	---------------



VOR/DME BLF	APP CRS	Rwy Idg	4743
115.05	225°	TDZE	2857
Chan 97 (Y)		Apt Elev	2857

VOR RWY 23


MERCER COUNTY (BLF^Y)

DME required.

When local altimeter setting not received, use Beckley altimeter setting and increase all MDAs 460 feet: increase S-23 visibility Cat A ¼ SM, Cat B ½ SM, Cat C 1 ½ SM, Cat D 1 ½ SM; increase Circling visibility Cat A ¼ SM, Cat B ½ SM, Cat C ¾ SM. VDP NA when using Beckley altimeter setting. Circling NA southeast of Rwy 5-23.

MISSED APPROACH: Climb to 3800 then climbing right turn to 6000 on heading 020° and BLF R-340 to KEGLY/BLF 11 DME and hold.

ASOS	INDIANAPOLIS CENTER	CTAF
132.725	126.575 257.85	122.9 0



ELEV 2857	TDZE 2857
-----------	-----------

