


WAAS CH 65840 W31A	APP CRS 317°	Rwy Idg 3034 TDZE 49 Apt Elev 49
--	------------------------	---


RNAV (GPS) RWY 31
COLUSA COUNTY (OØ8)

RNP APCH.	For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C (5°F) or above 54°C (130°F). Rwy 31 helicopter visibility reduction below 1 SM NA. Obtain local altimeter setting on CTAF; when not received, use Sacramento Intl altimeter setting: increase LPV DA to 382 feet, increase LNAV/VNAV DA to 550 feet and all visibilities ¼ SM; increase all MDAs 100 feet and LNAV Cat C visibility ¼ SM, Circling Cat C visibility ½ SM. Baro-VNAV NA with Sacramento Intl altimeter setting. Straight-in Rwy 31 NA at night, Circling Rwy 31 NA at night.	MISSED APPROACH: Climb to 600 then climbing right turn to 2600 direct VACIA and hold.
-----------	---	--

OAKLAND CENTER 132.2 350.3	UNICOM 122.8 (CTAF) Ø
--------------------------------------	---------------------------------



600 2600 VACIA		VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 43).	
RW31		SIXTO	KYILE
1700		304°	3000
317°		1700	GP 3.00° TCH 40
5.1 NM		5.9 NM	
CATEGORY	A	B	C
LPV DA	299-1	250 (300-1)	NA
LNAV/VNAV DA	469-1 ½	420 (500-1 ½)	NA
LNAV MDA	500-1 451 (500-1)	500-1 ½ 451 (500-1 ½)	NA
CIRCLING	600-1 551 (600-1)	620-1 ½ 571 (600-1 ½)	NA




APP CRS	Rwy Idg	N/A
137°	TDZE	N/A
	Apt Elev	49

RNAV (GPS)-B
COLUSA COUNTY (008)

RNP APCH.	Obtain local altimeter setting on CTAF; when not received, use Sacramento Init altimeter setting and increase all MDAs 100 feet and Cat C visibility ½ SM. Circling Rwy 31 NA at night.	MISSED APPROACH: Climbing right turn to 2600 direct VACIA and hold.
-----------	---	--

OAKLAND CENTER 132.2 350.3	UNICOM 122.8 (CTAF) 0
-------------------------------	--------------------------





4 NM Holding Pattern				2600	VACIA
2600 ← 317° 137° →				MORAE	
1700				2.96° TCH 50	RW13
6.3 NM				5.1 NM	
CATEGORY	A	B	C	D	
CIRCLING	600-1	551 (600-1)	620-1½ 571 (600-1½)	NA	

VORTAC ILA 114.4 Chan 91	APP CRS 356°	Rwy Idg TDZE Apt Elev	N/A N/A 49
--	------------------------	-----------------------------	---------------------------------------

VOR-A
COLUSA COUNTY (008)

  NA	Obtain local altimeter setting on CTAF; when not received, use Sacramento Intl altimeter setting. Circling Rwy 31 NA at night.	MISSED APPROACH: Climb to 1400 then climbing left turn to 3500 direct ILA VORTAC.
OAKLAND CENTER 132.2 350.3		UNICOM 122.8 (CTAF) 

DME REQUIRED



		-6.5 NM		
CATEGORY	A	B	C	D
C CIRCLING	600-1	551 (600-1)	620-1½ 571 (600-1½)	NA
SACRAMENTO INTL ALTIMETER SETTING MINIMUMS				
C CIRCLING	700-1	651 (700-1)	720-2 671 (700-2)	NA

